

## **Technical data sheet TF117**

Specification Swivel armchair 24h high, synchronous mec., topper

Dimensions in mm	Backrest:	H:	720
	Seat:	H:	410-550
		W:	500
		D:	440
	Total:		
		H:	1230
		W (no ArmR):	530
		W (ArmR):	755
		D:	645
			24,5
Packaging data	Weight:	kg	24,0
	Volume:	m³	



Basic equipment		Benefit
Plastic parts	Dyed throughout, black.	Quality and aesthetics are maintained even with intensive use.
Backrest	Upholstered backrest high. 55 mm foam. Backrest covered in Climatex Ultra with synthetic leather on the sides, rear side and side parts of the backrest in black.	Reinforced and breathable backrest.
Upholstery	Dual Core Seat upholstery: 70 mm foam. Seat covered in fabric Climatex Ultra, side parts black.	Upholstery is not glued on, ensuring optimal air movement, breathable. Great seating comfort.
Topper	Exchangeable cover for seat and backrest, black. Front side equipped with embroidered "Interstuhl" patch.	It is possible to consider hygienic factors.
Mechanism	Synchronous mechanism, lockable. Opening angle between seat and back: 95° - 115°. Backrest lockable in 4 positions.	Interstuhl synchronous mechanisms are designed in a way to optimally support the body in every seating position and at the same time they relieve the change between the different seating positions. The backrest cannot accidentally spring forwards even after unlocking.
Seat height adjustment	Seat height adjustment infinitely variable from 410 - 550 mm. Self-supporting safety gas spring.	People with a height between 151 and 192 cm (Acc. to DIN EN 1335) can individually adjust the seat height in the most ergonomic way.
Weight Adjustment	Weight adjustment, multilevel. User weight up to 150 kg, duration of use 24 hours.	Individual adjustment of the backrest and the back pressure according to the weight and height of the user.
Seat depth adjustment	Sliding seat for an individual adjustment of the seat depth, area of adjustment 55 mm.	The seat depth can be individually adjusted to ensure an optimal support surface of the thighs.
Seat inclination	Adjustable + 4.5° to the front.	The tilt prevents the pelvis from moving backwards, ensuring the right position of the spinal column.
Lumbar support	Height- (100 mm) and depth- (15 mm) adjustable lumbar support.	The lumbar support which is integrated in the back upholstery can be adjusted vertically and horizontally and thus adapted to the body of the user. This permits an individual support of the lumbar spine.



## **Technical data sheet TF117**

Specification Swivel armchair 24h high, synchronous mec., topper

Dimensions in mm	Backrest: Seat:	H: H:	720 410-550	
		W:	500	
		D:	440	
	Total:	H:	1230	
		W (no ArmR):	530	
		W (ArmR):	755	
		D:	645	Age of the same of
			0.4.5	
Packaging data	Weight:	kg	24,5	
	Volume:	m³		3 9 9 9
Castors Ø 65 mm			ouble castors, black, braked, for hard and soft IIN EN 12529).	The chair does not roll away in an offloaded position.
Base		Aluminium 5-sta	r base, powder-coated black.	Very good stability, longevity even with intensive use.
Armrests			neight, width and depth able. Can be folded to the back.	The armrests relieve the neck and shoulder muscles.
Materials		All materials are	unmixed and recyclable.	Environmentally friendly.
Standards		contaminants, er	ested safety, tested for rgonomics approved, BIFMA STANDARD BS5459-2-2000.	High level of safety and great comfort.
Certification		9001:2015, Reg (EMAS), Enviror EN ISO 14001:2 Safety Managen 45001:2018, En EN ISO 50001:2	ment system DIN EN ISO ulation (EC) no. 1221/2009 mental Management System DIN 015, Occupational Health and nent System DIN EN ISO ergy Management System DIN 018, EcoVadis Gold, sustainability. Blue Angel.	High-quality product.
Warranty		on 220 working on per day through	when used 24-hours per day days. In case of use 24 hours but the year, the long-term is 3 years of which the first a full warranty.	Exchange of parts, free of charge within the guaranteed period.

Disassembly instructions are available upon request for any interstuhl product



## **Technical data sheet TF117**

Specification Swivel armchair 24h high, synchronous mec., topper

Dimensions in mm	Backrest:	H:	720
	Seat:	H:	410-550
		W:	500
		D:	440
	Total:		
		H:	1230
		W (no ArmR):	530
		W (ArmR):	755
		D:	645
Daalianian data	\\/a:= a4.	1	24,5
Packaging data	Weight:	kg	24,0
	Volume:	m³	



Options		Benefit
Patch	Individual patch on request.	Personalization of the topper set.

Disassembly instructions are available upon request for any interstuhl product